## NSN 5950-01-221-1726

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-221-1726

Reliability	Indicator:
Not establis	shed

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.100 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

1.100 inches single mounting facility single center group

**Frequency Rating:** 

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

**Body Length:** 

1.900 inches

**Body Width:** 

1.520 inches

**Body Height:** 

1.810 inches

**End Application:** 

B-1b lancer aircraft

**Inclosure Type:** 

Fully enclosed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Threaded hole single group

**Winding Function And Quantity:** 

1 primary single component and 1 secondary single component

**Thread Size:** 

0.112 inches single group

**Winding Operating Current:** 

3.0 amperes dc single component single secondary

**Criticality Code Justification:** 

Feat

**Winding Operating Voltage:** 

187.00 ac volts single component single primary and 205.00 ac volts single component single primary

**Special Features:** 

Weapon system essential

**Thread Series Designator:** 

Unc single group

**Terminal Type And Quantity:** 

4 tab, solder lug

Shelf Life:

N/a

## NSN 5950-01-221-1726

Power Transformer - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0