

View Online at <https://aerobasegroup.com/nsn/5950-01-222-3347>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Moisture resistant and oil resistant and vibration resistant

Overall Length:

Between 0.325 inches and 0.475 inches

Inductance Rating:

0.065 microhenries and 0.091 microhenries single component single winding

Coil Form Type:

Hollow single component

Core Construction:

Powdered single component

Adjustment Device Drive Type:

Slotted screw single component

Body Outside Diameter:

Between 0.097 inches and 0.112 inches

Maximum Operating Temp:

125.0 degrees celsius

Distance Between Mounting Facility Centers:

0.140 inches and 0.150 inches single mounting facility single center group

End Application:

1430-01-087-6330 radar set, semitrailer mounted

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Rating Method:

Electrical single component single winding

Features Provided:

Tinned wire leads

Winding Operating Current:

250.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

0.100 single component single winding

Quality Factor:

45 single component single winding

Adjustment Method And Quantity:

1 adjustable core single component

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0