NSN 5950-01-223-1124

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-223-1124

Thread Class (non-core):
Unable to decode
Thread Direction (non-core):
Unable to decode
Reliability Indicator:
Not established
Overall Length:
5.700 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.880 inches and 4.920 inches single mounting facili type 2nd center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.180 inches and 3.220 inches single mounting facility single center group
Overall Height:
4.020 inches
Overall Width:
4.775 inches
Frequency Rating:
380.0 hertz and 420.0 hertz single component
Input-output Phase Relationship:
Three phase to three phase single component
Transformer Winding Connection Type:
Wye-wye
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
5.700 inches
Body Width:
4.775 inches
Body Height:
4.020 inches
Maximum Operating Temp:
180.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
8 single group
Mounting Method:
Flange and threaded hole single group
Winding Function And Quantity:
1 primary and 1 secondary single component
Cubic Measure (non-core):

109.4 cubic inches

NSN 5950-01-223-1124

Power Transformer - Page 2 of 2

Demilitarization:

No Fiig: A058b0



Thread Size:
0.138 inches single group
Winding Operating Current:
123.0 milliamperes ac single component single secondary
Winding Operating Voltage:
4825.00 ac volts and 5025.00 ac volts single component single secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a
Unit Of Measure: