NSN 5950-01-223-1126

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-223-1126

Thread Class (non-core):

Unable to decode

Thread Direction (non-core):

Unable to decode

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.200 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.960 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-delta

Maximum Transformer Power Rating:

280.8 volt-ampere single component

Body Length:

3.400 inches

Body Width:

3.150 inches

Body Height:

1.870 inches

Maximum Operating Temp:

180.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary and 4 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

820.0 milliamperes ac single component 1st secondary

Winding Power Rating:

49.0 volts-amperes single component 3rd secondary

Winding Operating Voltage:

8.00 ac volts single component 4th secondary

NSN 5950-01-223-1126

Power Transformer - Page 2 of 2



	T	hr	ead	Series	Design	nator
--	---	----	-----	---------------	--------	-------

Unc single group

Terminal Type And Quantity:

16 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0