NSN 5950-01-223-3658

Power Transformer - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5950-01-223-3658

| Thread Class (non-core): |
|---|
| Unable to decode |
| Thread Direction (non-core): |
| Unable to decode |
| Reliability Indicator: |
| Not established |
| Thread Length (non-core): |
| Unable to decode |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.420 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 1.180 inches single mounting facility single center group |
| Frequency Rating: |
| 380.0 hertz and 420.0 hertz single component |
| Input-output Phase Relationship: |
| Three phase to three phase single component |
| Transformer Winding Connection Type: |
| Wye-wye |
| Body Length: |
| 1.360 inches |
| Body Width: |
| 1.850 inches |
| Body Height: |
| 2.540 inches |
| Maximum Operating Temp: |
| 130.0 degrees celsius |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded hole single group |
| Winding Function And Quantity: |
| 1 primary and 1 secondary single component |
| Thread Size: |
| 0.138 inches single group |
| Winding Operating Current: |
| 164.0 milliamperes dc single component single secondary |
| Winding Operating Voltage: |
| 5.40 ac volts and 19.80 ac volts single component single secondary |
| Thread Series Designator: |
| Unc single group |
| |

NSN 5950-01-223-3658

Power Transformer - Page 2 of 2



Terminal Type And Quantity:

8 wire lead

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0