NSN 5950-01-223-4011

Saturable Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-223-4011

Reliability Indicator:
Not established
Overall Length:
2.860 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.520 inches single mounting facility all center groupings
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.520 inches single mounting facility all center groupings
Overall Height:
1.570 inches
Overall Width:
1.900 inches
Frequency Rating:
400.0 hertz single component
Maximum Operating Temp:
130.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 all groupings
Mounting Method:
Threaded hole all groupings
Winding Function And Quantity:
1 control and 2 primary and 2 secondary single component
Saturation Current Rating:
384.0 milliamperes
Thread Size:
0.112 inches all groupings
Dc Resistance Rating In Ohms:
3.250 single component single control
Winding Operating Voltage:
7.50 ac volts single component all secondary
Thread Series Designator:
Unc all groupings
Terminal Type And Quantity:
10 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5950-01-223-4011

Saturable Reactor - Page 2 of 2



Fiig:

A058b0