## NSN 5950-01-225-8780

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-225-8780

Thread Class (non-core): Unable to decode Thread Direction (non-core): Unable to decode **Reliability Indicator:** Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 5.500 inches single mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 2.875 inches single mounting facility single center group **Overall Height:** 4.750 inches Frequency Rating: 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component **Winding Shielding Method:** Internal shield grounded to inclosure and core single component **Body Length:** 6.000 inches **Body Width:** 3.380 inches **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded stud single group **Winding Function And Quantity:** 1 primary and 3 secondary single component **Thread Size:** 0.164 inches single group Inclosure Material (non-core): Aluminum or steel **Winding Operating Current:** 0.4 amperes ac single component 1st secondary **Winding Operating Voltage:** 

43.00 ac volts single component 1st secondary

**Thread Series Designator:** 

Unc single group

**Terminal Type And Quantity:** 

11 wire lead

## NSN 5950-01-225-8780

Power Transformer - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0