

View Online at <https://aerobasegroup.com/nsn/5950-01-226-9946>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.490 inches single mounting facility single center group and 0.510 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.490 inches single mounting facility single center group and 0.510 inches single mounting facility single center group

Frequency Rating:

50.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 0.740 inches and 0.760 inches

Body Width:

Between 0.740 inches and 0.760 inches

Body Height:

Between 0.480 inches and 0.520 inches

Maximum Operating Temp:

85.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Cubic Measure (non-core):

0.281 cubic inches

Winding Operating Current:

5.0 milliamperes ac single component single primary

Winding Operating Voltage:

7.50 ac volts single component single primary

Terminal Type And Quantity:

4 pin

Specification Data:

53711-5882978 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0