NSN 5950-01-227-1433

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-227-1433

Thread Class (non-core):
Unable to decode
Thread Direction (non-core):
Unable to decode
Reliability Indicator:
Not established
Overall Length:
3.130 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.734 inches and 1.766 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.484 inches and 1.516 inches single mounting facility single center group
Overall Height:
2.000 inches
Overall Width:
2.380 inches
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Maximum Transformer Power Rating:
20.0 watts single component
Winding Shielding Method:
Internal shield grounded to core single component
Maximum Operating Temp:
130.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary and 1 secondary single component
Cubic Measure (non-core):
14.9 cubic inches
Thread Size:
0.164 inches single group
Winding Operating Current:
1.0 amperes ac single component single winding
Winding Operating Voltage:

20.00 ac volts single component single secondary

NSN 5950-01-227-1433

Power Transformer - Page 2 of 2



Unpackaged Unit Weight (non-core):
2.500 pounds
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
5 wire hook
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A058b0