NSN 5950-01-227-4654



Power Transformer - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-01-227-4654 Thread Class (non-core): Unable to decode Thread Direction (non-core): Unable to decode **Reliability Indicator:** Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 2.625 inches single mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 2.125 inches single mounting facility single center group Frequency Rating: 400.0 hertz single component Input-output Phase Relationship: Three phase to three phase single component **Transformer Winding Connection Type:** Wye-delta **Winding Shielding Method:** Core grounded single component **Body Length:** 4.000 inches **Body Width:** 2.940 inches **Body Height:** 2.000 inches

Maximum Operating Temp:

85.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary and 5 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

1.5 amperes ac single component 3rd secondary

Winding Operating Voltage:

220.00 ac volts single component single primary

Special Features:

5 secondary windings

NSN 5950-01-227-4654

Power Transformer - Page 2 of 2



Thread	Series	Designator:
--------	--------	-------------

Unc single group

Terminal Type And Quantity:

19 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0