# NSN 5950-01-227-5353

Current Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-227-5353

# Reliability Indicator:

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

4.250 inches 2nd mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

3.125 inches all mounting facilities single center group

#### **Overall Width:**

13.000 inches

#### **Mounting Hole Diameter:**

0.563 inches 4th group

#### **Mounting Slot Width:**

0.438 inches 2nd group

#### Frequency Rating:

60.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

#### **Maximum Transformer Power Rating:**

12.5 volt-ampere single component

# **Body Length:**

5.250 inches

# **Body Width:**

4.000 inches

#### **Body Height:**

6.310 inches

# **Distance Between Mounting Facility Centers:**

9.250 inches 1st mounting facility single center group

# Inclosure Type:

Fully enclosed

# **Mounting Facility Quantity:**

4 2nd group

# **Mounting Method:**

Unthreaded hole 4th group

# **Winding Function And Quantity:**

1 secondary single component

# **Winding Operating Current:**

5.0 amperes ac single component single secondary

# **Special Features:**

Primary rated but not included; 5th mtg group, 4 unthd holes 0.313 in. Dia

# **Terminal Type And Quantity:**

2 screw

### Shelf Life:

N/a

# NSN 5950-01-227-5353

Current Transformer - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0