NSN 5950-01-227-5362

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-227-5362

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

8.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

5.000 inches single mounting facility single center group

Mounting Slot Width:

0.406 inches single group

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

10.000 inches

Body Width:

9.000 inches

Body Height:

9.750 inches

End Application:

Nsn: 6115-01-143-3850, generator set, diesel

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

240.0 milliamperes ac single component single primary

Winding Power Rating:

1.0 kilovolt-amperes single component single primary

Winding Operating Voltage:

2.40 ac kilovolts single component single primary and 4.16 ac kilovolts single component single primary

Special Features:

Operating temperature: -25 degrees f to +125 degrees f

Terminal Type And Quantity:

3 screw and 1 terminal block w/screws

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5950-01-227-5362

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0