NSN 5950-01-227-9034

Power Transformer - Page 1 of 2

Thread Class (non-core):

View Online at https://aerobasegroup.com/nsn/5950-01-227-9034



Err-070 **Thread Direction (non-core):** Err-070 **Reliability Indicator:** Not established **Overall Length:** 16.000 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 15.000 inches all mounting facilities single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 8.000 inches all mounting facilities single center group **Overall Height:** 11.120 inches **Overall Width:** 6.500 inches **Frequency Rating:** 400.0 hertz single component Input-output Phase Relationship: Three phase to three phase single component **Transformer Winding Connection Type:** Wye-open delta and wye-wye **Maximum Transformer Power Rating:** 18.3 kilovolt-ampere single component **Body Width:** 11.120 inches **Body Height:** 6.500 inches **Inclosure Type:** Open **Mounting Facility Quantity:** 4 all groupings **Mounting Method:** Bracket all groupings and threaded hole all groupings Winding Function And Quantity: 1 primary single component and 2 secondary single component **Thread Size:** 0.375 inches 1st group Winding Operating Current: 95.0 amperes ac single component single primary Winding Operating Voltage: 21.80 ac volts single component 2nd secondary

NSN 5950-01-227-9034

Power Transformer - Page 2 of 2



Thread Series Designator:

Unc all groupings

Terminal Type And Quantity:

12 wire lead w/lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0