## NSN 5950-01-230-4906

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-230-4906

Reliability Indicator:
Not established
Overall Length:
13.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
11.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
9.500 inches single mounting facility single center group
Overall Height:
24.000 inches
Overall Width:
13.500 inches
Mounting Hole Diameter:
0.562 inches single group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase 1st component and two phase to two phase 1st component
Maximum Transformer Power Rating:
10.0 kilovolt-ampere single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Current:
21.0 amperes ac single component 2nd primary
Winding Power Rating:
10.0 kilovolt-amperes single component single secondary
Winding Operating Voltage:
240.00 ac volts 2nd component 2nd secondary or 480.00 ac volts 2nd component 2nd secondary
Terminal Type And Quantity:
1 terminal block w/screws and 1 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 5950-01-230-4906

Power Transformer - Page 2 of 2



Fiig:

A058b0