

View Online at <https://aerobasegroup.com/nsn/5950-01-233-0769>

**Thread Class (non-core):**

Unable to decode

**Thread Direction (non-core):**

Unable to decode

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.490 inches and 1.510 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.990 inches and 2.010 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Wye-wye

**Body Length:**

3.400 inches

**Body Width:**

3.000 inches

**Body Height:**

2.200 inches

**Maximum Operating Temp:**

130.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary and 3 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

2.5 amperes dc single component 2nd secondary

**Winding Power Rating:**

65.0 volts-amperes single component 2nd secondary

**Winding Operating Voltage:**

26.00 dc volts single component 2nd secondary

**Unpackaged Unit Weight (non-core):**

2.700 pounds

**Test Data Document:**

96214-2859278 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

13 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0