

View Online at <https://aerobasegroup.com/nsn/5950-01-235-3130>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.390 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.390 inches single mounting facility single center group

Frequency Rating:

60.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

39.6 volt-ampere single component

Body Length:

1.720 inches

Body Width:

1.720 inches

Body Height:

1.200 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 7 secondary single component

Thread Size:

0.112 inches single group

Winding Operating Current:

200.0 milliamperes ac single component all secondary

Winding Power Rating:

8.8 volts-amperes single component 1st secondary

Winding Operating Voltage:

31.82 ac volts single component 2nd secondary

Special Features:

One primary winding; seven secondary windings

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

16 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0