

View Online at <https://aerobasegroup.com/nsn/5950-01-235-6695>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.825 inches single mounting facility single center group

Inductance Rating:

50.00 microhenries 2nd component single winding and 140.00 microhenries 2nd component single winding

Frequency Rating:

400.0 hertz 2nd component

Input-output Phase Relationship:

Single phase to single phase 1st component

Body Length:

1.265 inches

Body Width:

1.265 inches

Body Height:

1.500 inches

Distance Between Mounting Facility Centers:

0.825 inches single mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole all groupings

Rating Method:

Electrical 1st component single primary output

Winding Function And Quantity:

1 primary, variable autotransformer type 1st component

Thread Size:

0.112 inches single group

Winding Operating Current:

4.5 amperes dc 2nd component single winding and 10.5 amperes dc 2nd component single winding

Dc Resistance Rating In Ohms:

1.350 1st component single primary output

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0