

View Online at <https://aerobasegroup.com/nsn/5950-01-240-7324>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.360 inches single mounting facility single center group and 2.390 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.610 inches single mounting facility single center group and 0.640 inches single mounting facility single center group

Inductance Rating:

20.00 millihenries single component single primary

Impedance Rating In Ohms:

3200.0 single component single secondary

Frequency Rating:

1.0 kilohertz single component

Body Length:

Between 3.813 inches and 3.938 inches

Body Width:

Between 3.250 inches and 3.375 inches

Body Height:

1.750 inches

Maximum Operating Temp:

85.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component and 1 tertiary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

70.0 milliamperes dc single component single tertiary

Dc Resistance Rating In Ohms:

8.400 single component single tertiary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0