

View Online at <https://aerobasegroup.com/nsn/5950-01-240-7324>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.360 inches single mounting facility single center group and 2.390 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.610 inches single mounting facility single center group and 0.640 inches single mounting facility single center group

**Inductance Rating:**

20.00 millihenries single component single primary

**Impedance Rating In Ohms:**

3200.0 single component single secondary

**Frequency Rating:**

1.0 kilohertz single component

**Body Length:**

Between 3.813 inches and 3.938 inches

**Body Width:**

Between 3.250 inches and 3.375 inches

**Body Height:**

1.750 inches

**Maximum Operating Temp:**

85.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component and 1 tertiary single component

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

70.0 milliamperes dc single component single tertiary

**Dc Resistance Rating In Ohms:**

8.400 single component single tertiary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0