NSN 5950-01-242-4426

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-242-4426

/iew Online at https://aerobasegroup.com/nsn/5950-01-242-4426
Reliability Indicator:
Not established
nductance Rating:
0.11 microhenries single component single winding and 0.15 microhenries single component single winding
Coil Form Type:
Hollow single component
Adjustment Device Drive Type:
Slotted screw single component
Body Length:
0.260 inches
Body Width:
0.097 inches
Body Height:
0.200 inches
Maximum Operating Temp:
05.0 degrees celsius
nclosure Type:
Fully enclosed
Mounting Method:
Ferminal single group
Rating Method:
Electrical single component single winding
Vinding Operating Current:
200.0 milliamperes dc single component single winding
Oc Resistance Rating In Ohms:
0.350 single component single winding
Quality Factor:
30 single component single winding
Adjustment Method And Quantity:
adjustable core single component
Test Data Document:
31349-mil-prf-15305 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Ferminal Type And Quantity:
2 wire lead
Specification Data:
96906-ms53231 government standard
Shelf Life:
N/a
Jnit Of Measure:
_

No

Demilitarization:

NSN 5950-01-242-4426

Radio Frequency Coil - Page 2 of 2



Fiig:

A058b0

Mil-std (military Standard):

Mil-prf-15305 spec.