NSN 5950-01-246-3596

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-246-3596
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.115 inches single mounting facility single center group and 2.135 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.115 inches single mounting facility single center group and 2.135 inches single mounting facility single center group
Mounting Hole Diameter:
0.217 inches single group and 0.222 inches single group
Inductance Type:
Fixed
Inductance Rating:
3.00 millihenries single component single winding
Frequency Rating:
1.0 kilohertz single component
Body Length:
3.680 inches
Body Height:
2.812 inches
Maximum Operating Temp:
150.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Rating Method:
Electrical single component single winding
Winding Operating Current:
15.2 amperes ac single component single winding
Dc Resistance Rating In Ohms:
0.250 single component single winding
Terminal Type And Quantity:
2 wire lead and 1 wire lead w/lug
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Yes - demil/mli

NSN 5950-01-246-3596

Reactor - Page 2 of 2



Fiig:

A058b0