NSN 5950-01-246-8709

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-246-8709

Reliability Indicator:	
Not established	
Hazardous Locations/environmental Protectic	on:
Vibration resistant	
Inductance Type:	
Fixed	
Inductance Rating:	
3.00 millihenries single component single windin	q
Frequency Rating:	
20.0 kilohertz single component	
Body Length:	
0.490 inches	
Overall Diameter:	
0.365 inches	
Maximum Operating Temp:	
105.0 degrees celsius	
Winding Quantity:	
1 single component	
Inclosure Type:	
Fully enclosed	
Mounting Method:	
Terminal single group	
Rating Method:	
Electrical single component single winding	
Winding Operating Current:	
300.0 milliamperes ac single component single v	vinding
Dc Resistance Rating In Ohms:	
3.500 single component single winding	
Test Data Document:	
81349-mil-t-27 specification (includes engineering	g type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directoria	es, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test condition	ns that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:	
2 wire lead	
Specification Data:	
81349-mil-t-27/286 government specification	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	

A058b0