NSN 5950-01-250-1551

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-250-1551

Reliability Indicator:
Not established
Overall Length:
1.750 inches
Turn Quantity:
•
670 single component single winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.250 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.250 inches single mounting facility single center group
Overall Height:
0.750 inches
Overall Width:
1.750 inches
Mounting Hole Diameter:
0.156 inches single group
Inductance Type:
Fixed
Inductance Rating:
28.50 millihenries single component single winding and 31.50 millihenries single component single winding
Frequency Rating:
500.0 hertz single component and 1.0 kilohertz single component
Winding Quantity:
1 single component
Inclosure Type:
Open
Mounting Facility Quantity:
2 single group
Mounting Method:
Unthreaded hole single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Winding Conductor Size:
0.00893 inches american wire gage single component single winding
Winding Operating Current:
100.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
13.000 single component single winding
Terminal Type And Quantity:
2 turret
Shelf Life:
N/a

NSN 5950-01-250-1551

Reactor - Page 2 of 2



	• •					
ın	18	<i>(</i>)+	Me	20	III	ω.

--

Demilitarization:

No

Fiig:

A058b0