# NSN 5950-01-251-7022

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-251-7022

Reliability	Indicator:
-------------	------------

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.400 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.700 inches single mounting facility single center group

#### **Mounting Hole Diameter:**

0.175 inches single group

#### **Frequency Rating:**

47.5 hertz single component and 444.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Maximum Transformer Power Rating:**

111.8 volt-ampere single component

#### **Body Length:**

4.309 inches

#### **Body Width:**

3.525 inches

#### **Body Height:**

5.000 inches

# Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Unthreaded hole single group

# **Winding Function And Quantity:**

1 primary single component and 3 secondary single component

# **Features Provided:**

Color coded lead

# **Winding Operating Current:**

6.0 amperes dc single component 1st secondary

# **Winding Power Rating:**

8.25 volts-amperes single component 3rd secondary

### **Winding Operating Voltage:**

8.00 dc volts single component 1st secondary

# **Terminal Type And Quantity:**

11 wire lead

# Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5950-01-251-7022

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0