

View Online at <https://aerobasegroup.com/nsn/5950-01-251-8811>

**Reliability Indicator:**

Not established

**Turn Quantity:**

35 single component single winding

**Inductance Type:**

Fixed

**Inductance Rating:**

10.00 microhenries single component single winding

**Frequency Rating:**

80.0 kilohertz single component and 150.0 kilohertz single component

**Body Length:**

0.600 inches

**Body Outside Diameter:**

1.400 inches

**Maximum Operating Temp:**

75.0 degrees celsius

**Winding Quantity:**

1 single component

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal single group

**Rating Method:**

Electrical single component single winding and winding turns single component single winding

**Winding Conductor Size:**

0.00315 inches american wire gage single component single winding

**Winding Operating Current:**

5.0 amperes dc single component single winding

**Dc Resistance Rating In Ohms:**

0.030 single component single winding

**Criticality Code Justification:**

Zzzy

**Special Features:**

Item must comply with requirements of defense supply center columbus production standard no. Lo3670

**Terminal Type And Quantity:**

2 pin

**Reference Number Differentiating Characteristics:**

Areference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0