

View Online at <https://aerobasegroup.com/nsn/5950-01-252-7710>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

13.250 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

7.620 inches single mounting facility single center group

Mounting Hole Diameter:

0.312 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

15.125 inches

Body Width:

8.500 inches

Body Height:

11.000 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

8 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

6 primary single component and 6 secondary single component

Winding Operating Voltage:

108.00 ac volts single component all primary and 112.00 ac volts single component all primary and 115.00 ac volts single component all primary and 118.00 ac volts single component all primary

Special Features:

6 primary windings; 6 secondary windings

Terminal Type And Quantity:

61 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0