# NSN 5950-01-256-1864

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-256-1864

# Reliability Indicator:

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

2.600 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

2.580 inches single mounting facility single center group

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

# Transformer Winding Connection Type:

Wye-wye

Winding Shielding Method:

Internal shield grounded to core single component

#### **Body Length:**

# 4.120 inches

**Body Width:** 

3.280 inches

# **Body Height:**

2.100 inches

#### Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

4 single group

#### **Mounting Method:**

Threaded hole single group

#### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Thread Size:

0.164 inches single group

#### Winding Operating Current:

65.0 milliamperes ac single component single secondary

#### Winding Operating Voltage:

6.80 ac kilovolts single component single secondary

#### **Thread Series Designator:**

Unc single group

### **Terminal Type And Quantity:**

7 tab, solder lug

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5950-01-256-1864

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

