

View Online at <https://aerobasegroup.com/nsn/5950-01-258-3474>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.090 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.480 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

130.0 volt-ampere single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

3.050 inches

Body Width:

2.550 inches

Body Height:

2.125 inches

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

1.5 amperes ac single component 1st secondary

Winding Power Rating:

94.5 volts-amperes single component 1st secondary

Winding Operating Voltage:

63.00 ac volts single component 1st secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0