## NSN 5950-01-258-9713

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-258-9713

Reliability Indicator:
Not established
Inductance Type:
Fixed
Inductance Rating:
1.50 henry single component single winding
Frequency Rating:
60.0 hertz single component
Body Length:
1.250 inches
Body Width:
0.938 inches
Body Height:
0.938 inches
Maximum Operating Temp:
105.0 degrees celsius
Distance Between Mounting Facility Centers:
0.875 inches single mounting facility single center group
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component single winding
Thread Size:
0.112 inches single group
Winding Operating Current:
45.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
225.000 single component single winding
Test Data Document:
81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
2 turret
Specification Data:

81349-mil-t-27/149 government specification

## NSN 5950-01-258-9713

Reactor - Page 2 of 2



_						
C	he	14		iŧ	0	•
J			_		ㄷ	-

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0