NSN 5950-01-258-9722

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-258-9722

3 · · · · · · · · · · · · · · · · · · ·
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.062 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.687 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
2.00 henry single component single winding
Body Length:
2.562 inches
Body Width:
1.188 inches
Body Height:
2.812 inches
Maximum Operating Temp:
105.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component single winding
Thread Size:
0.138 inches single group
Winding Operating Current:
3.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
64.000 single component single winding
Test Data Document:
81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 tab, solder lug

Specification Data:

81349-mil-t-27/147 government specification

NSN 5950-01-258-9722

Reactor - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0