

View Online at <https://aerobasegroup.com/nsn/5950-01-258-9735>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.125 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.125 inches single mounting facility single center group

Overall Height:

1.938 inches

Mounting Hole Diameter:

0.128 inches single group

Impedance Rating In Ohms:

7500.0 single component single primary and 12500.0 single component single primary and 20000.0 single component single primary

Frequency Rating:

60.0 hertz single component and 400.0 hertz single component

Maximum Transformer Power Rating:

60.0 milliwatts single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

1.375 inches

Body Width:

1.375 inches

Body Height:

1.625 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Test Data Document:

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

7 tab, solder lug

Specification Data:

81349-mil-t-27/185 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0