# NSN 5950-01-260-6513

Reactor-transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-260-6513

# Reliability Indicator:

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.090 inches single mounting facility single center group and 2.110 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

0.840 inches single mounting facility single center group and 0.860 inches single mounting facility single center group

#### Inductance Rating:

175.00 microhenries single component all winding

#### **Frequency Rating:**

60.0 hertz 2nd component and 400.0 hertz 2nd component

#### Input-output Phase Relationship:

Single phase to single phase 2nd component

**Body Length:** 

2.500 inches

## Body Width:

1.260 inches

# Body Height:

1.800 inches

# Maximum Operating Temp:

155.0 degrees celsius

## Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

4 single group

#### Mounting Method:

Threaded hole single group

#### **Rating Method:**

Electrical single component single secondary

#### Winding Function And Quantity:

1 primary 2nd component and 1 secondary 2nd component

#### **Thread Size:**

0.138 inches single group

#### Winding Operating Current:

5.0 amperes dc single component all winding

#### Dc Resistance Rating In Ohms:

0.080 single component all winding

## Winding Operating Voltage:

52.00 ac volts single component single secondary

## **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

9 wire lead

# NSN 5950-01-260-6513

Reactor-transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

