NSN 5950-01-262-0335

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-262-0335

Reliability Indicator: Not established Inductance Rating: 560.00 microhenries single component single winding Coil Form Type: Solid single component Core Construction: Solid single component Body Length: Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding	
Inductance Rating: 560.00 microhenries single component single winding Coil Form Type: Solid single component Core Construction: Solid single component Body Length: Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
560.00 microhenries single component single winding Coil Form Type: Solid single component Core Construction: Solid single component Body Length: Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Coil Form Type: Solid single component Core Construction: Solid single component Body Length: Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Solid single component Core Construction: Solid single component Body Length: Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Core Construction: Solid single component Body Length: Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group	
Solid single component Body Length: Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Body Length: Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius 125.0 degrees celsius Inclosure Type: Fully enclosed Fully enclosed Mounting Method: Terminal single group Rating Method:	
Between 0.880 inches and 0.900 inches Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Overall Diameter: Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Between 0.290 inches and 0.310 inches Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Maximum Operating Temp: 125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
125.0 degrees celsius Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method:	
Fully enclosed Mounting Method: Terminal single group Rating Method:	
Mounting Method: Terminal single group Rating Method:	
Terminal single group Rating Method:	
Rating Method:	
-	
Electrical single component single winding	
Features Provided:	
Tinned wire leads	
Winding Conductor Size:	
0.02846 inches american wire gage single component single winding	
Winding Operating Current:	
165.0 milliamperes dc single component single winding	
Dc Resistance Rating In Ohms:	
18.500 single component single winding	
Quality Factor:	
75 single component single winding	
Test Data Document:	
81349-mil-c-15305 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in sp	ecificatio
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on ce	rtain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Terminal Type And Quantity:	
2 wire lead	
Specification Data:	
96906-ms21380 government standard	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 5950-01-262-0335

Radio Frequency Coil - Page 2 of 2

Fiig: A058b0

