

View Online at <https://aerobasegroup.com/nsn/5950-01-263-0887>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.920 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.280 inches single mounting facility single center group

Overall Width:

2.250 inches

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

2.280 inches

Body Height:

1.800 inches

Maximum Operating Temp:

125.0 degrees celsius

End Application:

6110-01-212-1076 panel, protection

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.112 inches single group

Winding Operating Current:

1.4 amperes ac single component single primary

Winding Operating Voltage:

0.50 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0