## NSN 5950-01-263-9603

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-263-9603

## Reliability Indicator:

Not established

## **Turn Quantity:**

55 single component all winding

## Mounting Hole Diameter:

0.200 inches single group

## Inductance Type:

Fixed

### **Inductance Rating:**

15.00 millihenries single component all winding

## **Frequency Rating:**

10.0 kilohertz single component

### **Body Length:**

0.880 inches

### **Body Outside Diameter:**

2.000 inches

## **Maximum Operating Temp:**

130.0 degrees celsius

## **End Application:**

5815-062-8194, terminal communication

## Winding Quantity:

2 single component

## Inclosure Type:

Fully enclosed

## **Mounting Facility Quantity:**

1 single group

## **Mounting Method:**

Unthreaded hole single group

## **Rating Method:**

Electrical single component all winding and winding turns single component all winding

#### **Features Provided:**

Tinned wire leads

## Winding Conductor Size:

0.05707 inches american wire gage single component all winding

## Dc Resistance Rating In Ohms:

0.035 single component all winding

## **Terminal Type And Quantity:**

4 wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5950-01-263-9603

Reactor - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A058b0

