NSN 5950-01-265-1630

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-265-1630

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility single center group

Mounting Hole Diameter:

0.144 inches single group

Inductance Type:

Fixed

Inductance Rating:

100.00 henry single component all winding

Frequency Rating:

50.0 hertz single component

Body Length:

1.812 inches

Body Width:

1.812 inches

Body Height:

2.500 inches

Maximum Operating Temp:

105.0 degrees celsius

Winding Quantity:

2 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Rating Method:

Electrical single component all winding

Dc Resistance Rating In Ohms:

525.000 single component all winding

Test Data Document:

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

4 tab, solder lug

Specification Data:

81349-mil-t-27/175 government specification

Shelf Life:

N/a

NSN 5950-01-265-1630

Reactor - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A058b0