## NSN 5950-01-265-1631

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-265-1631

## Reliability Indicator:

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.500 inches single mounting facility single center group

#### **Mounting Hole Diameter:**

0.144 inches single group

#### **Inductance Type:**

Fixed

#### **Inductance Rating:**

50.00 henry single component all winding

#### Frequency Rating:

50.0 hertz single component

#### **Body Length:**

1.812 inches

#### **Body Width:**

1.812 inches

#### **Body Height:**

2.500 inches

## **Maximum Operating Temp:**

105.0 degrees celsius

#### Winding Quantity:

2 single component

## **Inclosure Type:**

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Unthreaded hole single group

#### **Rating Method:**

Electrical single component all winding

## Dc Resistance Rating In Ohms:

205.000 single component all winding

#### **Test Data Document:**

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Terminal Type And Quantity:**

4 tab, solder lug

#### **Specification Data:**

81349-mil-t-27/175 government specification

## Shelf Life:

N/a

# NSN 5950-01-265-1631

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0