## NSN 5950-01-265-1649

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-265-1649

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.312 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.688 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
11.00 henry single component single winding
Body Length:
4.312 inches
Body Width:
3.688 inches
Body Height:
4.500 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:
Electrical single component single winding
Thread Size:
0.190 inches single group
Winding Operating Current:
200.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
85.000 single component single winding
Test Data Document:
81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unf single group
Terminal Type And Quantity:

Shelf Life: N/a

2 solder stud

**Specification Data:** 

81349-mil-t-27/174 government specification

## NSN 5950-01-265-1649

Reactor - Page 2 of 2



ı	1	n	iŧ	<b>1</b>	: N/	lea			_	
ı	u	n	IT	OI	١V	ıea	เรเ	JI	е	:

--

Demilitarization:

No

Fiig:

A058b0