NSN 5950-01-265-1668

Reactor - Page 1 of 1

A058b0



View Online at https://aerobasegroup.com/nsn/5950-01-265-1668

| Reliability Indicator: |
|---|
| Not established |
| Inductance Type: |
| Fixed |
| Inductance Rating: |
| 150.00 millihenries single component single winding |
| Frequency Rating: |
| 1.0 kilohertz single component |
| Body Length: |
| 1.063 inches |
| Body Width: |
| 0.750 inches |
| Body Height: |
| 0.781 inches |
| Maximum Operating Temp: |
| 105.0 degrees celsius |
| Winding Quantity: |
| 1 single component |
| Inclosure Type: |
| Fully enclosed |
| Mounting Method: |
| Terminal single group |
| Rating Method: |
| Electrical single component single winding |
| Winding Operating Current: |
| 45.0 milliamperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 22.000 single component single winding |
| Test Data Document: |
| 81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; |
| excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental |
| and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Terminal Type And Quantity: |
| 2 pin |
| Specification Data: |
| 81349-mil-t-27/168 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |