

View Online at <https://aerobasegroup.com/nsn/5950-01-267-5805>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.680 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.550 inches single mounting facility single center group

**Overall Width:**

1.078 inches

**Mounting Hole Diameter:**

0.116 inches single group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

2.0 volt-ampere single component

**Body Length:**

0.870 inches

**Body Width:**

0.740 inches

**Body Height:**

0.780 inches

**Maximum Operating Temp:**

130.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Unthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Winding Operating Current:**

250.0 milliamperes ac single component single secondary

**Winding Operating Voltage:**

8.00 ac volts single component single secondary

**Test Data Document:**

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

5 turret

**Specification Data:**

81349-mil-t-27/338 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0