

View Online at <https://aerobasegroup.com/nsn/5950-01-270-7001>

Reliability Indicator:

Not established

Turn Quantity:

282 single component single winding

Mounting Hole Diameter:

0.187 inches single group

Inductance Type:

Fixed

Inductance Rating:

1.00 henry single component single winding

Frequency Rating:

60.0 hertz single component

Body Length:

3.700 inches

Body Width:

1.800 inches

Body Height:

2.310 inches

Maximum Operating Temp:

130.0 degrees celsius

Distance Between Mounting Facility Centers:

3.125 inches single mounting facility single center group

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Unthreaded hole single group

Rating Method:

Electrical single component single winding and winding turns single component single winding

Winding Conductor Size:

0.02257 inches american wire gage single component single winding

Winding Operating Current:

1.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

5.000 single component single winding

Criticality Code Justification:

Zzzy

Special Features:

Item must comply with requirements of defense supply center columbus production standard lo3928

Terminal Type And Quantity:

3 wire lead

Reference Number Differentiating Characteristics:

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0