## NSN 5950-01-271-4817

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-271-4817

**Reliability Indicator:** Not established **Overall Length:** 3.250 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches all mounting facilities all center groupings Center To Center Distance Between Mounting Facilities Parallel To Width: 2.250 inches all mounting facilities all center groupings **Overall Height:** 2.870 inches **Overall Width:** 3.000 inches Frequency Rating: 400.0 hertz single component Input-output Phase Relationship: Three phase to three phase single component **Transformer Winding Connection Type:** Delta-delta and delta-wye **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 4 all groupings **Mounting Method:** Threaded stud 1st group **Winding Function And Quantity:** 1 primary single component and 7 secondary single component **Thread Size:** 0.164 inches 2nd group **Winding Operating Current:** 730.0 milliamperes ac single component 4th secondary **Winding Power Rating:** 52.22 volts-amperes single component 3rd secondary Winding Operating Voltage: 30.00 ac volts single component 3rd secondary **Special Features:** 1 primary winding; 7 secondary windings **Test Data Document:** 15280-40-054808 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:** 

Unc all groupings

**Terminal Type And Quantity:** 

26 wire hook

## NSN 5950-01-271-4817

Power Transformer - Page 2 of 2



_					
C.	~~	14	I i	ife:	
J.	16			HE.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0