# NSN 5950-01-271-8170

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-271-8170

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

9.980 inches single mounting facility single center group and 10.020 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

9.480 inches single mounting facility single center group and 9.520 inches single mounting facility single center group

#### **Mounting Hole Diameter:**

0.615 inches single group and 0.635 inches single group

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Three phase to single phase single component and three phase to three phase single component

#### **Transformer Winding Connection Type:**

Delta-wye

#### **Winding Shielding Method:**

Primary and secondary shielded and brought out to terminal single component

#### **Body Length:**

15.000 inches

# **Body Width:**

11.000 inches

# **Body Height:**

11.250 inches

#### **Maximum Operating Temp:**

170.0 degrees celsius

# **Inclosure Type:**

Open

# **Mounting Facility Quantity:**

6 single group

#### **Mounting Method:**

Unthreaded hole single group

# Winding Function And Quantity:

1 primary single component and 4 secondary single component

#### **Winding Operating Current:**

600.0 milliamperes ac single component 4th secondary

#### **Winding Power Rating:**

9.6 volts-amperes single component 4th secondary

# **Winding Operating Voltage:**

80.00 ac volts single component 2nd secondary

#### **Terminal Type And Quantity:**

19 threaded stud

# Shelf Life:

N/a

# NSN 5950-01-271-8170

Power Transformer - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0