

View Online at <https://aerobasegroup.com/nsn/5950-01-271-8212>

Reliability Indicator:

Not established

Overall Length:

1.453 inches

Mounting Hole Diameter:

0.130 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

0.4 volt-ampere single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

1.056 inches

Body Width:

0.830 inches

Body Height:

0.770 inches

Maximum Operating Temp:

130.0 degrees celsius

Distance Between Mounting Facility Centers:

1.266 inches single mounting facility single center group

End Application:

6615-01-129-7151 coupler, automatic

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Features Provided:

Color coded lead

Winding Operating Current:

15.0 milliamperes ac single component single secondary

Winding Operating Voltage:

26.00 ac volts single component single primary

Terminal Type And Quantity:

6 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0