

View Online at <https://aerobasegroup.com/nsn/5950-01-272-0011>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.195 inches single mounting facility single center group and 0.205 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.895 inches single mounting facility single center group and 0.905 inches single mounting facility single center group

Frequency Rating:

50.0 hertz single component and 400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

0.35 volt-ampere single component

Body Length:

Between 1.315 inches and 1.345 inches

Body Width:

Between 1.185 inches and 1.215 inches

Body Height:

0.940 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Open

Mounting Method:

Terminal single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

17.5 milliamperes ac single component all secondary

Winding Power Rating:

0.175 volts-amperes single component all secondary

Winding Operating Voltage:

115.00 ac pounds per hour wet single component single primary

Special Features:

Primary terminals are split for dual connection

Terminal Type And Quantity:

8 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0