

View Online at <https://aerobasegroup.com/nsn/5950-01-272-4177>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.490 inches single mounting facility single center group and 1.510 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.365 inches single mounting facility single center group and 1.385 inches single mounting facility single center group

Mounting Hole Diameter:

0.137 inches single group and 0.157 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 2.030 inches and 2.090 inches

Body Width:

Between 1.720 inches and 1.780 inches

Body Height:

Between 1.780 inches and 1.840 inches

Inclosure Type:

Hermetically sealed with oil

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Features Provided:

Color coded lead

Winding Operating Current:

5.0 amperes dc single component single primary

Winding Operating Voltage:

0.90 dc volts single component single secondary and 5.10 dc volts single component single secondary

Special Features:

Primary rated but not included

Test Data Document:

10001-3021909 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0