# NSN 5950-01-275-0789

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-275-0789

## **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.750 inches single mounting facility single center group

### Inductance Type:

Fixed

#### **Frequency Rating:**

400.0 hertz single component

**Body Length:** 

1.000 inches

#### **Body Width:**

1.000 inches

## Body Height:

1.000 inches

#### Winding Quantity:

2 single component

#### Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

2 single group

#### Mounting Method:

Threaded stud single group

#### **Rating Method:**

Electrical single component all winding

#### **Thread Size:**

0.112 inches single group

#### Winding Operating Current:

9.0 milliamperes dc single component 2nd winding

#### Dc Resistance Rating In Ohms:

32.000 single component 2nd winding

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

4 pin

Shelf Life:

N/a

### Unit Of Measure:

--

#### Demilitarization:

No

# NSN 5950-01-275-0789

Reactor - Page 2 of 2

Fiig: A058b0

