

View Online at <https://aerobasegroup.com/nsn/5950-01-275-2028>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Vibration resistant and moisture resistant

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.360 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.350 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Delta-wye

**Winding Shielding Method:**

Internal shield grounded to core and mounting single component

**Body Length:**

2.100 inches

**Body Width:**

1.720 inches

**Body Height:**

1.800 inches

**Maximum Operating Temp:**

90.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Features Provided:**

Color coded lead and tinned wire leads

**Thread Size:**

0.112 inches single group

**Winding Operating Voltage:**

200.00 ac volts single component single primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

9 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0