NSN 5950-01-275-3042

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-275-3042

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Vibration resistant

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.427 inches single mounting facility single center group and 1.457 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.249 inches single mounting facility single center group and 1.251 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

60.00 microhenries single component single winding

Frequency Rating:

10.0 kilohertz single component

Body Length:

1.820 inches

Body Width:

0.820 inches

Body Height:

1.640 inches

Maximum Operating Temp:

85.0 degrees celsius

End Application:

5895-01-205-0655, controller assembly

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding

Thread Size:

0.112 inches single group

Winding Operating Current:

10.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.025 single component single winding

Thread Series Designator:

Unc single group

NSN 5950-01-275-3042

Reactor - Page 2 of 2



Terminal Type And Quantity:
2 wire hook
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A058b0