## NSN 5950-01-280-5467

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-280-5467

### **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.490 inches single mounting facility single center group and 3.510 inches single mounting facility single center group

### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.365 inches single mounting facility single center group and 2.385 inches single mounting facility single center group

### **Mounting Hole Diameter:**

0.219 inches single group

### **Inductance Type:**

Swinging

### **Inductance Rating:**

10.00 henry single component single winding

#### Frequency Rating:

6.0 kilohertz single component

### **Body Length:**

Between 4.090 inches and 4.150 inches

### **Body Width:**

Between 2.970 inches and 3.030 inches

### **Body Height:**

Between 3.970 inches and 4.030 inches

### **Maximum Operating Temp:**

70.0 degrees celsius

### **End Application:**

1430-00-179-4199

### Winding Quantity:

1 single component

### Inclosure Type:

Fully enclosed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Unthreaded hole single group

### Rating Method:

Electrical single component single winding

### **Winding Operating Current:**

130.0 milliamperes dc single component single winding

### Dc Resistance Rating In Ohms:

330.000 single component single winding

### **Terminal Type And Quantity:**

2 turret

### Shelf Life:

N/a

# NSN 5950-01-280-5467

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0